SUBJECT INDEX

A

A stars, disks around, 237–38, 523, 536, 545–47
Abell 2029, 436
ACRIM (Active Cavity Irradiance Monitor), 633–34, 637, 640, 643–46, 650, 654, 659, 663–64
Active galactic nuclei, 436
  infrared emission from, 198, 207–8, 220–21
AD Leonis, 285
Alpha Lyrae, 335, 523, 545–47
Alpha Ophiuchi, 334
Alpha Persei Cluster, 275–76, 278
Alpha Piscis Austrini, 545–46
Andromeda Galaxy, 442–43, see also M31
Arcturus star group, 623
Arp 220, 218–22
Asteroids, 523, 526–28
Asymptotic Giant Branch phase, 535, 539–43

B

B stars, infrared emission in, 535–37
Barnard's star, 492
Baryons, 450, 452–55, 460–62
BD+26°730, 298
Becklin-Neugebauer object, 63, 73
Beta Canis Majoris, 325
Beta Pictoris, 237–38, 545–46
Binary stars
  formation of, 26–27, 53, 71
  formation of, in globular clusters, 565, 573, 575, 579–84, 596–97
  very low mass, 488–94, 498–99, 503–5, 508–9
  Wolf-Rayet, 122–23, 125–28
BL Lacertae objects, 195, 198, 209–12
Black hole at Galactic center, possibility of, 403, 406–20
Black holes in active galactic nuclei, 198, 221–22
Black holes possibility
  in cores of globular clusters, 575–76
  as dark matter, 455
Brown dwarfs, 499, 510
  atmospheres of, 478
  evolution of, 476–77
  as missing-mass possibility, 454–55, 478–79, 512–13, 523, 548
  searches for, 484–85, 489–91
  as solar companion possibility, 478–79, 548

C

Calcium II emission measurements, 281, 285–91
Calcium II emission relationship with magnetic activity cycle, 295–98
Carbon stars, 540–42
Cassiopeia A, 144, 544–45
Cepheid binaries, 362–63
Cepheids, 345–75
  distances of, 345–75
  extragalactic, 353–54, 369–72
  and extragalactic distance scale, 369–72
  in Galactic clusters, 354–58, 364–65
  infrared observations of, 351–53, 368, 370–72, 539
  interstellar reddening in, 345–47, 351–54
  long-period, 368
  in Magellanic clouds, 346–53, 363–69
  metallicity in, 349–52
  in M31, 363–64, 371
  period-luminosity-color relationship in, 345–72
  period-luminosity relationship in, 345–72
  pulsation parallaxes of, 359–62
  radius determinations of, 359–62
  statistical parallaxes of, 359
  ultraviolet observations of 362–63
CFDT (Cartesian Full-Disk Telescope), 656–59
Chi Bootes A, 282
Chiron, 264–65
Collisionless Boltzmann codes, 167, 183
Coma cluster of galaxies, 445
Cometesimals, 234–37
Comets, 231–69
  albedos of, 241–43
  CO in, 235–36, 249–50, 253–54
  coma production rates for, 256–63
  comae of, 249–63
  composition of, 234–36, 239, 249–55
  infrared detection of, 523, 527–28
  infrared observations of, 241, 247, 250–53
  interstellar medium and formation of, 233–39
  masses of, 244–45
  mass loss in, 256–62
  nuclei of, 239–49
  origin of, 232–39
    cataclysmic theories of the, 238–39
    star-formation theory of the, 233–38
  oxygen production in, 258–63
  rotation of, 240–42
  ultraviolet measurements of, 253–54, 258
  water molecules in, 234–35, 249–52, 258, 261–65
Comets, individual
  Arend-Rigaux, 240–41
  D'Arrest, 240
  Encke, 244, 528
  Giacobini-Zinner, 231, 246, 263–64
  Gum, 528
  Halley, 231,
    composition of, 250–55
    jets in, 247–49
    nucleus of, 236, 240–49
    production rates in, 258–62
    radio spectra of, 254
  Humason, 236
  IRAS-Araki-Alcock, 236–37, 250, 254, 260, 527
  Kohoutek, 239
  Kopff, 528
  Morehouse, 236
  Neujmin 1, 240–41
  Shoemaker-2, 528
  Tago-Sato-Kosaka, 239
  Tempel-1, 528
  Tempel-2, 528
  West, 236, 253

Copernicus satellite observations, 333, 335
Cosmic-ray ionization, 40–41
Cosmic rays, 142, 316, 324, 331–32
Cosmological constant, 450, 456–57
Cosmology, IRAS survey importance for, 222–25
Crab Nebula supernova, 544
CRAF (Comet Rendezvous and Asteroid Flyby), 265–66
Cygnus Loop, 314–15, 544

D

Dark matter, 425–72. See also Missing mass
  in clusters of galaxies, 444–49
  cold, 459–61
  in elliptical galaxies, 426, 436–39, 451
  hot, 458–60
  in Milky Way, 451
  in planetary nebulae, 437
  in spiral galaxies, 427–36
Distance scale, Cepheids as indicators of, 345–75
Dynamos, stellar, 271–301

E

Einstein satellite observations, 122, 384–85, 503
ELP (Extreme Limb Photometer), 641–43, 650
Epsilon Aurigae, 547
Epsilon Eridani, 545–47
EXOSAT observations, 336
Extragalactic distance scale, 369–72
Extragalactic radio sources, 190–95, 205, 214–16, 427
Extragalactic sky
  infrared observations of, 187–230
  luminosity functions of objects in, 189–92, 224–25

F

F stars
  dwarf
    disks around, 523
    rotation in, 278–79, 294–98
  in Galactic disk, 428, 605–6
  subgiant, 295
Fornax cluster, 441

G

G stars, dwarf,
  Ca II emission in, 287–88
  disks around, 523
  emission-rotation relation in, 291–97
  rotation in, 276–78
Galactic bulge, 603, 616, 625
  IRAS observations of, 542–43, 628
  metal-rich stars in, 628
  relationship with thick disk, 628–30
  rotation of, 628–29
  velocity dispersion of stars in, 611, 629
Galactic center, 377–423
  central source in, 387–90
  circumnuclear material in, 390, 394–98
  distance to, 378, 429
  gamma-ray emission from 384–87
  gas dynamics in, 394–98, 407–15, 419
  giant molecular clouds in, 380–81
  infrared emission from, 380–84, 387–407, 418–19
  infrared sources in, 378, 382–83, 389, 402–4, 409, 412, 415–19
  interstellar matter in, 390–406, 419
  ionized gas clouds in, 399–404, 412, 414–15
  ionized gas streamers in, 398–404, 409–12, 414–15, 419
  mass distribution in, 406–15, 419–20
  possibility of black hole at, 403, 406–20
  possibility of starburst in, 387–90
  radio continuum emission in, 379–81, 387, 399–400, 419–20
  radio source in, 381–83, 389, 400, 415–20
  stellar cluster in, 378–79, 407, 412–15
  supernova remnant in, 381
  ultraviolet emission from, 388, 400–1, 414, 418–20
  X-ray emission from, 384–87, 404–6
Galactic disk, 603–11, 615
  age-metallicity relation of stars in, 604–6, 615–16
  age-velocity relation of stars in, 604–6, 615–16, 629
  density distribution in, 608–11
  missing mass in, 608–9
  mass of, 428–29, 454
  infrared emission in, 554–56
  star formation in, 480–81
  star-formation rate in, 605
  structure of, 607–11
Galactic disk, thick, 604, 611–17, 628–30
  density of, 612
  formation of, 615
  metal-rich giant stars in, 612–17
Galactic emission, 549, 556
Galactic emission, diffuse, 222, 523–24
  infrared cirrus, 548–49, 552, 557
  and interstellar radiation field, 549–54
Galactic globular cluster system, 603–4, 617, 619, 621–25, 627, 630
Galactic halo, 603, 613, 617–21, 628–30
  mass of, 430–32
  metal-weak stars in, 613, 617–30
  shape of, 623–27
  star counts in, 624–25
  velocity disperion of stars in, 617–20
Galactic spheroid, 603–4, 617–30
Galaxies
  clusters of
    dark matter in, 438, 442–51
    N-body simulations for, 151–52
  with companions
    N-body simulations for, 152, 160–61, 164–65
  disks of, 616, 622, 626
  infrared observations of, 187–230
  interacting, 217–18
  masses of, 425–28
  origin of luminosity in, 195–98
  N-body simulations for, 151–84
  number counts for infrared sources in, 223–24
  small groups of,
    dark matter in, 444, 451
    masses of, 443–44
  superclusters of, 446–48
  ultraluminous infrared, 216–22
Galaxies, barred spiral, 202, 435
Galaxies, binary
  dark matter in, 442, 444, 451
  masses of, 441–43
Galaxies, blue compact, 203–4, 440

Galaxies, dwarf
infrared observations of, 203–4
masses of, 430, 439–40
Galaxies, dwarf spheroidal, 440–41, 451
Galaxies, elliptical
dark matter in, 451
infrared observations of, 188–89, 205–7
masses of, 426, 436–39
N-body simulations for, 151–54, 166
with shells, 152, 161–62
Galaxies, irregular
dark matter in, 440
infrared observations of, 203–4
Galaxies, ring spiral, 202
Galaxies, spheroidal, 161, 164
Galaxies, spiral
dark matter in, 426, 432–36, 451
infrared observations of, 188, 197–202
N-body simulations for, 152–54, 160–61, 164, 181–82
star formation in, 23–81
Galaxies, S0, 188, 205, 209
Galaxy, see also Milky Way
dark corona of, 608–9
infrared observations of 521–63
star formation in, 23–81, 528–34
Wolf-Rayet stars in, 116–17, 123–25, 141–44
Galaxy formation, 458–59
Gamma^{2}Velorum, 118, 123, 128–29, 134, 142, 145
Gamma-ray emission, from Galactic center, 384–87
Giotto spacecraft, 243, 246–48, 254
Gl 65, 498–99
Gl 234, 498–99
Gl 473, 498–99
Gl 623, 498–99
Gl 748, 498–99
Globular cluster system, Galactic, 603–4, 617, 619, 621–25, 627, 630
Globular clusters
binary formation and evolution in, 565, 573–75, 579–84, 596–97
black holes in cores of, 575–76
central engines in, 574–76
core structure of, 589–90, 598
evaporation of stars from, 568–70
formation of, 567–68, 622
initial-mass functions in, 595–96
mass loss of stars in, 565, 568
mass segregation in, 571–73, 585–86, 594–96
masses of, 427, 430–31
massive-star formation in, 573–74
metal-rich, 621
metal-weak, 621, 623–25, 630
N-body calculations for, 575–81, 584, 597–98
proper motions of stars in, 594–95, 598
stellar evolution in, 565, 568, 585
stellar content of, 595–97
surface brightness of, 585–90
velocity measurements of, 435–41, 451, 590–95, 598
X-ray sources in, 575, 596–97
Globular clusters, dynamical evolution of, 595–601
core collapse phase of, 565–74, 589–90
energy generation in, 566, 574–76
Fokker-Planck approximations in, 567–75, 581–84
gravothermal collapse in, 574–76
gravothermal instability in, 569–71
gravothermal oscillations in, 566, 577–79, 597–98
postcollapse phase of, 566, 574–79
central energy source in, 574–76
precollapse phase of, 567–74
GQ Muscae, 543
G 77−61, 501

H

H II regions
near Cepheids, 349
near Galactic center, 380–81, 399–401
infrared observations of, 200, 203–4
Wolf-Rayet stars and, 125, 144
H II regions, compact, 380, 533
H and K emission measurements, 286–91, 295–98
HD 50896, 122, 137, 141, 145
HD 93162, 123
HD 165763, 129
HD 192163, 115, 118
HD 192641, 120
HD 193793, 119–20, 122
HD 197406, 127
HEAO-1, HEAO-3, HEAO-C, 386
Herbig-Haro objects, 60, 532–33
Hierarchical fragmentation, 24, 27–28, 479–80
HL Tauri, 66, 70–71
HR 4909, 536
Hubble constant, 426
Hyades cluster, 278–79, 606
HZ 43, 331, 336–37

I

IC 443, 544–45
IC 1613, 125
ICE (International Cometary Explorer), 231, 246, 263–64
Infrared cirrus, 548–50, 552, 557
Infrared emission
from Cepheids, 539
from Galactic center, 380–84, 387–90, 393–94, 399–401
in Galactic disk, 554–56
Infrared emission, extragalactic
dust responsible for, 195–96, 203, 207–14
mechanisms for, 195–99
photospheric, 195–207
synchrotron, 195, 198, 209–16
Infrared observations
of Beta Pictoris, 237–38, 545–46
of comets, 241, 247, 250–53, 523, 527–28
of Galaxy, see IRAS observations
of stellar magnetic fields, 285
Infrared observations, extragalactic, see IRAS observations
Infrared photometry
of Cepheids, 351–53, 368, 370–72
of very low mass stars, 486–87, 490, 494
Infrared sources, see also IRAS observations
in molecular clouds, 30, 59–60, 63, 72
spiral galaxies as, 198–202
Wolf-Rayet stars as, 118–22, 129–30
Initial-mass function, 25, 74, 454–55
in globular clusters, 595–96
for very low mass stars, 478–81, 507–12

Interstellar matter,
in Galactic center, 390–406, 419
infrared detection of extragalactic, 196–97, 200, 207
Interstellar medium, Galactic
formation of comets in, 233–39
IRAS observations of, 548–57
small grains in, 550–54
star formation and, 523, 533–34
Wolf-Rayet stars and, 141–42
Interstellar medium, local (LISM), 303–44, see also Local Bubble, Local Cloud, Local Fluff, Loop I Bubble
Interstellar medium, very local (VLISM), 308, 328–41
Interstellar radiation field, 549–54
Interstellar reddening, Cepheids and, 345–47, 351–54
Iota Virginis, 295
IRAS observations, 187–230, 521–63
of active galactic nuclei, 207–16
of asteroids, 526–28
of BL Lacertae objects, 195, 209–11
of comets, 523, 527–28
extragalactic, 187–230
of Galactic bulge, 628
of Galactic emission, 523–24, 548–57
of galaxies
barred spiral, 202
blue compact, 203
dwarf, 203
elliptical, 188–89, 205–7
irregular, 203–4
Markarian, 190, 213, 216
radio, 208–9
ring spiral, 202
Seyfert, 188–89, 195, 212–15
spiral, 188, 197–202
S0, 188, 205–7
ultraluminous, 216–22
of the Galaxy and solar system, 521–63
of the Magellanic Clouds, 203–4, 543
of molecular clouds, 30, 48, 59, 523, 528–34, 555–57
of novae, 543–44
of OVV quasars, 195, 207, 209–12
of planetary nebulae, 538
of quasars, 195, 207, 215–16
of stars, 523, 534–45
asymptotic giant branch, 539–41
B and A, 536–37
brown dwarf, 548
carbon, 540–42
main-sequence, 534
with mass loss, 539–43
with protoplanetary disks, 237, 545–47
supergiant, 535–36, 538, 541
T Tauri, 65, 533
Wolf-Rayet, 118, 120, 535–36
of supernova remnants, 544–45
of zodiacal dust cloud, 524–26
IRAS survey, cosmological importance of, 222–25
IRAS 13349+2438, 216
IRS 1, 402, 409
IRS 5, 62, 532
IRS 7, 378, 389, 412
IRS 16 complex, 382–89, 400–4, 409, 415–19
IUE observations
of Cepheid binaries, 362–63
of comets, 236, 254, 258
of nearby stars, 335

J

Jets, cometary, 247–49
Jets, stellar, 60, 62–63, 73–74

K

K stars
dwarf, rotational velocities of, 276–77, 294–98
giant, 606, 610, 612
distribution of, in Galactic bulge, 628–29
infrared observations of, 534
in thick disk of Galaxy, 612–15
velocity dispersions of, 428, 441
supergiant, infrared observations of, 538–39
Kapteyn's star, 501
Kapteyn's star group, 623
Kepler supernova remnant, 544
Kuiper Airborne Observatory, 220–21

L

Large Magellanic Cloud
Cepheids in, 346–53, 367–69
globular clusters in, 567, 586, 622
IRAS observations of, 203–4, 543
stars with mass loss in, 543
Wolf-Rayet stars in, 116, 124, 145
LHS 2397a, 499
LHS 2924, 499
Local Bubble, 304–28, 339–42
boundary of, 310–13, 316–20
clouds in, 306–7, 320–23, 326–28, 339–42
density of, 304–5, 310, 317–23, 328
interstellar pressure in, 305–6, 310, 315–23
models for, 317–23
soft X-ray background in, 304–7, 310–20, 324–28, 331–32, 336–38, 341
as supernova remnant possibility, 304–6, 309, 313–16, 339
thermal evaporation in, 306, 320–23, 339–41
Local Cloud, 328–41
density of, 329–33
ionization sources in, 337–39
solar backscatter observations in, 328–33
Local Fluff, 307–8, 328–39, 341. See also Local Cloud
Local Group of galaxies, 441–43, 451
Loop I Bubble, 325–26, 341
L204 molecular cloud, 36
L1551, 60–62, 532

M

M stars
dwarf, see also Stars, very low mass
ages of, 505–7
binaries among, 488–93
infrared excesses in, 535
kinematics of, 505–6
magnetic activity in, 295–97, 502–7
photometry of, 486–87, 493–94
rotational velocities of, 276, 278–79, 295–97
search for, 483
spectral classification of, 487–88
dwarf emission, 285, 504
giant, 534–35
subdwarf
initial-mass function of, 512

luminosity function of, 511–12
metal abundances of, 500–1
Magellanic Clouds, see also Large Magellanic Cloud, Small Magellanic Cloud
Cepheids in, 346–53, 363–69
IRAS observations of, 203–4
Magnetic activity, solar
chromospheric indicators of, 87–96
cycle of, 94, 98–103, 296–97, 634, 643
and variations in solar irradiance, 633–67
Magnetic activity, stellar, 271–301, 502–7
determination of periods of, 295–98
direct measurements of, 282–85
emission-line measurements of, 285–95
tracers of, 281–98
Magnetic field(s), solar, 83–111, 633–67. See also Magnetic flux, solar; Magnetic structure, solar
measurements of, 84–87, 646–59
Magnetic fields, molecular-cloud, 33–49, 62–63, 71–75
Magnetic fields, stellar, see also Magnetic activity, stellar
direct measurements of, 282–85
rotation and, 271–301
in very low mass stars, 502
Magnetic flux, solar
cancellation of, 105–6
density of, 85–87, 91, 100–2, 634, 642–43, 663–64
disappearance of, 83, 103–7, 109, 661–62
emergence of, 83, 96–98, 107–9, 660
transport of, 83, 103–7
Magnetic structure, solar
faculae in, see Sun, faculae in
filigree in, 89–90
flux tubes in, collapse of, 96–98
granulation in, 91–92, 96–97
intranetwork field in, 84, 94–96, 98, 105–9
knots in, 89
network in, 86, 89, 91–92, 94–96, 100–7
network clusters in, 94–95, 100, 105, 108
plages in, see Sun, plages in
sunspots in, see Sunspots
Main-sequence stars, 271–301
Ca II emission measurements for, 286–91
emission-rotation relation in, 291–95, 298
as infrared sources, 285, 534–35
magnetic activity in, 271–301
magnetic cycle periods in, 295–98
rotation in, 271–301
rotational evolution in 273–81
Markarian galaxies, 190, 209, 213, 215–16, 220–22
Mass loss, 523, 538–43
cool stars with, 539–43
Galactic distribution of stars with, 541–43
globular cluster stars with, 565, 568
hot stars with, 535–38
planetary nebulae with, 538
Mass-luminosity relation, 479, 488, 492, 495–98, 507–13
Microwave background radiation, 222–23, 448–49
Milky Way
dark matter in, 428–32, 451
rotation curves for, 428–29, 451
satellite dwarf galaxies in, 430–31
Missing mass, see also Dark matter
in Galactic disk, 428–29, 608–9
in globular clusters, 594, 597
possibility of brown dwarfs as, 478, 512–13, 548
Molecular clouds
Alfvénic turbulence in, 34–39
ambipolar diffusion in, 41–43, 45, 47–51, 65, 71, 74
cloud contraction in, 44–45
fluid turbulence in, 33–34, 62
gravitational collapse of cores of, 49–53, 71–72
IRAS observations of cores of, 30, 48, 59, 200, 528–34, 555–57
lifetimes of, 32
magnetic fields in, 33–49, 62–63, 71–75
masses of, 427
protostar formation and evolution in, 53–60
rotation in, 39–40, 52–53
star formation in, 23–81
temperatures of, 44
Molecular clouds, dwarf, 32–33
Molecular clouds, giant, 29, 32, 46–47
formation of very low mass stars and, 480–81
at Galactic center, 380
and origin of comets, 234, 238–39
Molecular clumps, 29–49, 71
Monoceros OB1 molecular cloud, 532
MR 80, 120
M3, 592, 595, 597
M5, 595, 597
M13, 454, 595
M15, 427, 589, 595
M22, 543, 595
M30, 597
M31
dark matter in, 432–35, 442–43
distance to, 363–64, 367, 371
globular clusters in, 617, 623
IRAS observations of, 198–202, 206–7, 543
Wolf-Rayet stars in, 125
M33
globular clusters in, 622
IRAS observations in, 198–202
Wolf-Rayet stars in, 125, 143, 145
M71, 595
M81, 371–72
M82, 216
M87, 436–38
M92, 595
M101, 198, 354, 372
Mrk 171, 220
Mrk 231, 216, 221–22
Mrk 501, 209
Mrk 1014, 215

N

N-body calculations, for globular clusters, 575–81, 584, 597–98
N-body simulation codes, checks for, 182–83
N-body simulations, 151–86
Cartesian grids in, 165–70, 175, 181
cloud-in-cell (CIC) method, 171–73
grid methods for, 156, 165–67
particle-mesh techniques in, 167–76
grid noise in, 172–73
particle-particle-mesh method in, 167, 173–75
polar grids in, 171, 175–76, 181

quiet-particle mesh method in, 173
quiet starts in, 181–82
relaxation in, 152–59, 167
softening in, 156–60, 164
spatial resolution in, 159–60
spherical harmonic codes in, 176–78
stellar wakes in, 154–55
techniques for, 160–80
three-dimensional systems, 152–53, 156–57, 165–66, 169–70
time integration scheme in, 179–80
tree schemes in, 162–63, 178–79
triangular-shaped-cloud method, 172–73
two-dimensional systems, 153, 157, 165–69, 175–76
NGC 253, 216
NGC 720, 438
NGC 891, 616, 628
NGC 1068, 221
NGC 1275, 214
NGC 1705, 440
NGC 1866, 369
NGC 2403, 353, 370–72
NGC 3198, 433
NGC 3992, 433, 435
NGC 4278, 209, 437
NGC 5128, 436
NGC 5666, 437
NGC 6240, 218–20
NGC 6302, 538
NGC 6397, 586
NGC 6543, 223–24
NGC 6752, 586
NGC 6822, 125
NGC 7097, 437
NGC 7293, 538
Nimbus 7 satellite, 633–34, 643, 654
Novae, 543–44
Nucleosynthesis, 453–55

O

O stars
atmospheres of, 135
companions to Wolf-Rayet stars, 116, 120, 125–28
Galactic distribution of, 123
as progenitors of Wolf-Rayet stars, 142, 144–45
X-ray observations of, 123
OB stars
formation of, 24, 26, 32, 45–46, 54
at Galactic center, 388, 418
in Galactic disk, 555–57
mass loss in, 140, 143
photometry of, 355
X-ray emission in, 132
OH-IR stars
in Galactic center, 412–14, 629
in Magellanic clouds, 204
mass loss in, 539–43
OJ 287, 211
Oort cometary cloud, 233–39
Orion molecular cloud, 24, 39, 557
OVV (optically violent variable) quasars, 195, 207–12

P

P Cygni, 535–36
Period-luminosity-color relationship, 345–72
Period-luminosity relationship, 345–72
PG 1351+640, 215, 221
Photometric Facular Index (PFI), 640–45
Photometric Sunspot Index (PSI), 636–37, 643–44
Photometric surveys for very low mass stars, 483–84
PKS 1345+125, 214
Planet X, search for, 523, 528
Planetary nebulae, 437
in Galactic bulge, 629
IRAS observations of, 538
Planetary systems, formation of, 71, 73, 545–47
Pleiades cluster, 24
distance modulus of, 355–58, 364
rotational velocities of stars in, 276–78
Polycyclic aromatic hydrocarbons (PAHs), 553–55
Proper-motion surveys, for very low mass stars, 481–83
Protostars
accretion disks around, 52, 530–31
IRAS search for, 59, 528–31
Protostellar evolution, 52–55, 58–63
PSR 0950+08, 337–38
PSR 1929+10, 338
Pulsars, 337–38

Q

Quarks, 456–57
Quasars, 195, 207–12, 215–16, 221
QSOs, 435, 446

R

R Coronae Australis, molecular cloud in, 31, 36
R Coronae Borealis stars, 541
Radio galaxies, 208–9, 212–16
Radio continuum emission, from Galactic center, 379–84, 387–88, 399–400, 404, 419
Radio emission, extragalactic, 189–92, 197, 204–5
Radio sources, see also Sgr A
Radio sources, extragalactic, 193–94, 204–5, 208–9, 214–16
Radio sources, Wolf-Rayet stars as, 118–22, 131–32, 138
Rho Ophiuchi molecular cloud, 31, 36, 39, 46, 48, 531
Rotating Full-Disk Photometer (RFDP), 656–59
RR Lyrae stars
distance moduli of, 363–65
in Galactic halo, 617, 619–20, 624–25
masses of, 430–31
RS Ophiuchi, 544
RV Tauri variables, 539

S

Sagittarius A, 379–89, 400–1, 404, 409, 415–20
Sagittarius B2, 378
Scorpio-Centaurus association, 304, 341
Seyfert galaxies, 188, 195, 212–15, 220–21
Skylab, 101–2
Small Magellanic Cloud
Cepheids in, 346–53, 369
IRAS observations of, 203
Wolf-Rayet stars in, 125, 145
SMM (Solar Maximum Mission), 633, 649
Solar activity cycle, 98–103, 196–97, 634, 643
Solar backscatter, 308, 328–33
Solar flares, 634
Solar irradiance, variations in, 633–67
magnetic proxy for measuring, 645–47, 659
Solar neighborhood, dark matter in, 428, 451, 478, 511–13
Solar system, IRAS observations of, 521–28
Solar wind, 101, 109, 332
Sombrero galaxy, 435–36, 439
SPARTAN mission, 385
Star formation, 23–81
bimodal, 24–25, 44–45

deuterium burning in, 56–58, 72
at Galactic center, 388–89, 418
by hierarchical fragmentation, 24, 27–28, 479–80
high-mass, 24–27, 40, 44–46, 53–55, 73–74, 533–34, 556–57
IRAS observations of evidence of, 194, 196–204, 213, 216–25, 523, 528–34, 556–57
low-mass, 24–30, 44, 46–48, 54–58, 63–65, 74, 528–33
very-low-mass, 479–81, 512
Star-formation rate, in Galactic disk, 605
Star plages, 284
Starbursts, 187, 195–98, 213, 216–25, 224–25
Stars
A-type, see A stars
B-type, see B stars
binary, see Binary stars
blue horizontal branch, 617–20, 623–24
carbon, see Carbon stars
chromospheres of, 282–95, 475, 502–7
coronae of, 285–86, 294, 475, 502–7
disks around, 65–73, 530, 533, 545–47
IRAS observations of, 534–45
K-type, see K stars
magnetic activity in, see Magnetic activity, stellar
main-sequence, see Main-sequence stars
masses of
in globular clusters, 571–73
origin of, 23–24
metal-rich
in Galactic bulge, 628
in Galactic disk, 612–17
metal-weak, in Galactic halo, 613, 617–21, 623–27, 629–30
N-body simulations for large aggregates of, 151–86
pre-main-sequence, 55–57
IRAS observations of, 531, 533
rotational evolution of, 271–76, 290
supergiant, 535–36, 538–43
Wolf-Rayet, see Wolf-Rayet stars
Starspots, 284
Stellar evolution
in globular clusters, 565, 568, 585
Wolf-Rayet stars as phase of, 113, 143–46
Stellar flares, 505–6
Stellar rotation, 271–301, 502–5
evolution of, 271–81
relation to magnetic activity, 281–82, 291–99
Stellar winds, 24, 54–63, 72–73, 272, 276, 531–33, 535, 539
in Wolf-Rayet stars, 113–45, 535
Sun
active nests in, 99–103, 107, 109
active region of, see also Magnetic field(s), solar
photometry of, 647–59, 664
brown dwarf companion, possibility of, 478–79, 548
coronal holes in, 101–3, 108
energy balance between faculae and sunspots in, 660–63
energy storage in activity complex in, 661
ephemeral (active) regions in, 92–95, 98–103, 106–8
faculae in, 89–90, 106, 634–65
photometric proxy for irradiance function of, 637–45, 659, 664
photometry of, 647–54
magnetic field(s) of, see Magnetic field(s), solar; Magnetic structure, solar
plage area of, 96, 106, 108
photometry of, 639–45, 649, 652
relation to faculae, 659–60, 664
structure of, 86, 90–93
rotational velocity-activity cycle relation in, 279, 296–97
variations in luminosity of, 633–67
Sunspots
dissolution of, 103–7
formation of, 90–92, 96–99, 634, 660
influence on solar irradiance, 634–37, 642–43, 660–63
nests of, 99–103
photometric proxy for, 635–37, 664
photometry of, 643, 647–48
structure of, 83, 87–89, 634, 660
Sunspot pores, 96–97, 103, 105, 108
Supernova 1983k, 144
Supernova 1983n, 144
Supernova 1985f, 144
Supernova remnants, 381, 544–45
and local interstellar medium, 304–6, 309, 313–17, 323, 339
Supernovae, Wolf-Rayet star evolution and, 144
S106, 61, 73

T

T Tauri stars
disks around, 66–73, 530–31
emission activity in, 290
formation and evolution of, 24, 27, 30, 47, 56, 64–65
infrared excesses of, 66–68
IRAS observations of, 529–33
rotational velocities of, 63, 273–78
Taurus molecular cloud, 24, 29, 38–39, 45–47, 52
47 Tucanae, 586, 597
Tycho supernova, 544

U

Ultraviolet emission
from Galactic center, 388, 400–1, 405, 414, 418–20
from Local Bubble, 308, 315, 325, 335–38
Ultraviolet observations
of Cepheids, 362–63
of comets, 253–54, 258
of Wolf-Rayet stars, 115, 128–29, 136–37
Universe, dark matter in the, 425–72

V

VB 8, 490
VB 10, 489
Vega, 335, 523, 545–47
Vega-like stars, 545–47
Vega spacecraft, 246–48
Very low mass stars, 473–519
atmospheres of, 477–78
binaries among, 488–94, 498–99, 503–5, 508–9
chromospheres of, 475, 502–7
coronae of, 475, 502–7
effective temperatures of, 493–94

equation of state for, 475–77
formation of, 479–81
identification of, 481–85
infrared photometry of, 486–87, 490, 494
initial-mass function of, 478–80, 507
luminosity function of, 507–12
magnetic activity in, 502–7
masses of, 494–95
opacity tables for, 475–77
photometry of, 483–87
radial velocities of, 488
rotation-chromospheric activity relation in, 504–5
rotation-coronal activity relation in, 502–3
trigonometric parallaxes for, 485
X-ray emitters among, 498, 503–6
Virgo cluster of galaxies, 438, 442, 445–47
VLA observations
of the Galactic center, 379, 398, 404
of galaxies, 192, 437, 440
of Wolf-Rayet stars, 118–19
VLBI, 378
Voyager observations, 336, 338
V444 Cygni, 122, 134–35, 138–40
V4077 Sagittarii, 543–44

W

White dwarfs, 455, 478, 482
WIMPs, 459–61
Wolf-Rayet stars, 113–50
abundances in, 114–15, 128
as binary stars, 122–28
collapsed companions of, 126–27
colors of, 116–17
dust in, 118, 120, 142
effective temperatures of, 136–38
evolution of, 124, 143–46
expanding atmospheres of, 133–34
Galactic distribution of, 123–24, 145
infrared observations of, 115, 118, 120–22, 129–30, 535–36
and the interstellar medium, 141–42
luminosities of, 138–40
magnitudes of, 116–17
masses of, 127–28, 145
mass loss in, 118–19, 128, 131–32, 140–45
model atmospheres for, 132–41
nonthermal emission in, 118–20, 123
in other galaxies, 124–25
as radio sources, 118–22, 131–32, 138
spectral types of, 114–16, 145–46
ultraviolet observations of, 115, 128–29, 136–37
variability of, 116–18, 127
winds in, 113, 118–22, 127–45, 535
X-ray observations of, 122–23, 126–27, 132
W3, 46
W49, 46

XYZ

X-ray background, soft, 304–7, 310–20, 324–28, 331–32, 336–38, 341
X-ray emission, from Galactic center, 384–87, 404–6
X-ray observations
of galaxies, 197, 207, 213–14, 438–39, 446, 451
of very low mass stars, 498, 503–6
X-ray sources
in globular clusters, 575, 597
Wolf-Rayet stars as, 122–23, 126–27, 132
Young stellar objects (YSOs), 24, 60–71
bipolar outflows from, 60–63, 73–74
Zeeman splitting, 84–85
Zero-age main sequence, 275, 355, 364, 495–98
Zeta Puppis, 135, 535–36
Zodiacal infrared emission, 522–26, 547

MISCELLANEOUS

3C 48, 215, 221
3C 273, 207, 212
3C 345, 209–11
3C 390.3, 208–9, 212
3C 446, 211–12
3C 459, 215
0421+040P06, 214–15
0857+561, 446
1983 TB, 528
16293-2422, 531